

H-DOCTOR

مساعد طبيب

Part
12



1-2-2024

مساعد طبيب

تنسيق وإعداد : د. أصيل يـوس

+967 733443846

شكر خاص لكل من ساهم في تدوين الأسئلة



بن حيكان
BEN HAIKAN
للقرطاسية والأدوات الهندسية
تصميم - طباعة - خدمات إعلانية



منعاء - شارع حده - المجمع السينمائي سابقاً مبنى صندوق صيانة الطرق

☎ 01 514490

☎ +967 777534444

☎ +967 778506000

منعاء - جسر المدينة - خلف البنك اليمني الدولي - أمام المجلس الطبي

☎ 01 514490

☎ +967 777534444

☎ +967 770007758

منعاء - خط المطار - جوار مطابع الكتاب المدرسي أمام الجوبي للمفروشات

☎ 01 322235

☎ +967 777753253

☎ +967 770007758

Q I. Circle the correct answer of the following:

1. A primary care provider is going to perform a thoracentesis. The physician assistant's role will include which action :

- a. Place the client supine in the Trendelenburg position.
- b. Position the client in a seated position with elbows on the over bed table.
- c. Instruct the UAP to measure vital signs
- d. Administer an opioid analgesic

2. Medical assistant should explain to male client with diabetic glucose is preferred to urine glucose testing because:

- A. Hypokalemia.
- B. Hyperkalemia.
- C. Hyponatremia.
- D. Hypernatremia.

3. Surgical asepsis mean :

- A. Destroying bacteria from articles.
- B. Destroying the bacteria before entering in the body.
- C. Removing the bacteria which is in contact with patient
- D. Hand washing.

4. The medical assistant examines the forehead sinus any the following places done:

- A. frontal.
- B. Zygomatic.
- C. Maxilla.
- D. Temporary.

5. The medical's assistant lists Lymph Node's by Technique Palpation how it is done

- A. Touch the neck and Head and back.
- B. Pressure or touch by fingers and between fingers.
- C. Can be done by the client.
- D. It is not influenced by drug.

6. A patient uses diuretic and suffers from weakness in the joints of the difficulty in motion any of the following is why:

- A. Pulse change when the position is changed.
- B. Unconscious victim.
- C.
- D.

7. A person had a burn in the chest , abdomen , genital area, and the left arm from the front and back. How big is the burn ?

- A_ 15% .
- B_ 28 %.
- C_ 36%.
- D_ 45%.

قناة نماذج واختبارات @Medical02022

8.Patient with chronic with chronic gastritis, he complains deficiency any Vitamin:

- A_ Vitamin B12.
- B- Vitamin C.
- C- Vitamin A.
- D- Vitamin E.

9.Open air way for patient unconscious costly ?

- A_ head tilt ,Chin lift.
- B_ Chest thrust.
- C_ jaw thrust.
- D_ put him in left side position.

10. Blood PH normal range:

- a.7.25-7.30
- b.6.4-7.0
- c.7.75-8.0
- d.7.35-7.45

11.Which of the following considered bronchodilator :

- a- Acetylcysteine
- b- Guaifenesin
- c- Theophylline
- d- Epinephrine HCL

12-Another name for a stone in the urinary tract is:

- a)Calix
- b) Calculus
- c) Calcemia
- d) Calcitonin

13-All of the following are normally present in urine result EXCEPT:

- a) Urea.
- b)Createnin.
- c) Albumin.
- d) Sodium.

14-tells a client that an increase intake of foods that are rich in Vitamin E and.....carotene are important for healthier skin. The Medical Assistant teaches the client that ,,,, food sources of both of these Substances Are:

- a.Fish and fruit
- b. Oranges and grapefruit
- c.Carrots and potatoes
- d Spinach and mangoes

15-Patient, his pulse rate is found to be 120 bpm. His heart rate could be described as: .

قناة نماذج واختبارات @Medical02022

- a) Tachypnea.
- b) Tachycardia.
- c) Bradypnea.
- d) Bradycardia.

16-A patient has edema, what do you recommend :

- A. Decrease Fluid.
- B. Too much fluid.
- C.
- D.

17-The buccal means give the drug in :

- A. The jaw.
- B. The eye conjunctive.
- C. The oral.
- D. Between cheek client and gum.

18-Which clinical intervention is the highest in priority for a client at risk for falls in a hospital setting :

- A. Review prescribed medications.
- B. Keep all of the side rails up.
- C. complete the "get up and go test.
- D. Place the bed in the lowest position.

19-A patient with a heart condition and pneumonia appeared on his lips, a blue - color. What does the have :

- A. Cyanosis.
- B. Hypoxia.
- C. hypoxemia.
- D. dyspnea

20-An infected patient has chills and begin shivering, the best nursing intervention is to : . قناة نماذج واختبارات @Medical02022

- A. Apply iced alcohol sponges.
- B. Provide increased cool liquids.
- C. Provide additional body bed clothes.
- D. Provide increased ventilation.

21-What is the first procedure used when assessing the abdomen:

- A. Palpitation.
- B. Auscultation.
- C. Inspection.
- D. Percussion.

22-Mr. Harvey, age 54, is admitted with a diagnosis of congestive heart failure secondary to chronic obstructive pulmonary disease COPD. The physician orders sublingual nitroglycerin 0.4 mg PRN, for chest pain, while administering the nitroglycerin, the nurse should:

- A. Tell Mr. Harvey to hold the tablet under his tongue and let it dissolve.
- B. Tell Mr. Harvey to swallow the tablet with water.
- C. apply nitroglycerin ointment to Mr. Harvey's chest.
- D. Mix the nitroglycerin with applesauce for Mr. Harvey to eat.

23-The first nursing intervention should be done in the recovery room is :

- A. Give the patient analgesics.
- B. Put the patient in recovery position.
- C. Take vital signs and record.
- D. Do suction to the airway.

24-All of the followings are used for monitoring the deterioration in renal function EXCEPT :

- A. White blood cells count.
- B. Serum creatinine.
- C. Blood urea nitrogen.
- D. urine volum.

25-Urine less than 500 ml in 24 hours is called :

- A. Anuria.
- B. Polyuria.
- C. Oliguria.
- D. Non all above.

26-In the first trimester of pregnancy the vaccination to avoid :-

- a. Rubella.
- b. Polio
- c. Measles.
- d. Small pox.

27-Shock is the body's response to :

- a-Blood loss.
- b-Emotional distress.
- c-Severe allergic reaction.
- d-All of the above.

28-Patient comes with fracture of femur in an acute accident, the first thing to do is:

- A. Secure airway and treat the shock.
- B. Splinting.
- C. Physical examination.
- D.X-Ray.

29-The laboratory tests most specific to renal function are:

- A. potassium and sodium measurements.
- B. BUN and creatinine measurements.
- C. Chloride and bicarbonate measurements.
- D. Blood glucose and ketone measurements

30-Cardiogenic shock occurs as a result of the following :

- a. Bacteria.
- b. Allergic reaction.
- c. Myocardial infarction.
- d. Loss of blood.

31-Which symptoms would indicate internal bleeding :

- A-Rapid weak pulse, Excessive thirst.
- B-Skin that feels cool or moist, or looks pale or blus
- C-Tender, swollen, bruised, or hard areas of his body, such as the abdomen.
- D-All of the above.

32-The bleeding from the head can be prevented by pressure point on:

- a. Femoral artery.
- b. Facial artery.
- c.Temporal artery.
- d. Radial artery.

33-The blood cells that transport oxygen and carbon dioxide to and from body tissue:

- A. RBCs.
- B.WBC.
- C. platelets.
- D. granulocytes.

34-Client is admitted to the hospital due to metabolic acidosis caused by diabetic ketoacidosis (DKA). The medical assistant prepares which of the following medications as an initial treatment for this problem?

- A. Regular insulin.
- B. Potassium.
- C. Sodium bicarbonate.
- D. Calcium gluconate.

قناة نماذج واختبارات @Medical02022

35-During the second day of hospitalization of the client after a Myocardial Infarction the following is an expected outcome :

- A. Able to perform self-care activities without pain.
- B. Severe chest pain.
- C. Can recognize the risk factors of Myocardial Infarction.
- D. Can Participate in cardiac rehabilitation walking program.

36-The last step in the healing of a fracture is:

- a. Hematoma formation.
- b. Consolidation.
- c. Remodeling.
- d. Demineralization.

37- What is the most common diagnostic test used to assess Musculoskeletal.....:

- a. Myelogram.
- b. Standard x-ray.
- c. Arthroscopy .
- d. Magnetic resonance.

Q2. Answer by (True) OR (False)of the following :

38-Chronic pain indicates that damage or injury has occurred . . ☐ T or ☐ F
Family history . . ☐ T or ☐ F

39-Anxiety is uneasy feeling of discomfort or an uncomfortable feeling caused by Insecurity . . ☐ T or ☐ F

40-Aseptic technique is the infection control practice used to prevent the transmission of pathogens. ☐ T or ☐ F

66-Immobilization refers to restoration of the fracture fragments to anatomic alignment and rotation. ☐ T or ☐ F

41- Drug tolerance means body cannot metabolize a drug lead to accumulate drugs in blood . ☐ T or ☐ F

42-A contusion is a partial dislocation of the articulating surfaces. ☐ T or ☐ F

43-Incomplete abortion can be defined as expulsion of some products of conception out of uterus & remain some products in the uterus. ☐ T or ☐ F

44-Lifestyle consists of a persons usual daily activities and routines that are acceptable practices in persons life . ☐ T or ☐ F

45-Partial airway obstruction is indicated if the casualty cannot speak, breathe, or cough at all. ☐ T or ☐ F



حقوق الطبع محفوظة لدى:



لا تنسونا من خالص الدعاء

لتحميل أي نماذج لكافة التخصصات

[@medicaL02022](https://t.me/medicaL02022)

للمشاركة في أي تعديل اوكتابة وحل النماذج ٧٣٣٤٤٣٨٤٦ +٩٦٧

Q. Circle the correct answer of the following:

1-Which of the following clinical procedures always requires surgical asepsis:

- a-Vaginal instillation of conjugated estrogen.
- b-Urinary catheterization.
- c-Nasogastric tube insertion.
- d-Colostomy irrigation.

قناة نماذج واختبارات @Medical02022

2- Client is admitted to the hospital due to metabolic acidosis caused by diabetic ketoacidosis (DKA). The medical assistant prepares which of the following medications as an initial treatment for this problem?

- A. Regular insulin.
- B. Potassium.
- C. Sodium bicarbonate.
- D. Calcium glaucoma.

3- The bleeding from the head can be prevented by pressure point on:

- a. Femoral artery.
- b. Facial artery.
- c. Temporal artery.
- d. Radial artery.

4- Pulse pressure is defined as which of the following:

- a) Difference between systolic and diastolic pressure.
- b) Expansion of the artery as blood moves through it.
- c) Difference between arterial and venous pressure.
- d) Difference between venous and systolic pres.

5-Most absorption occurs in the small intestine through the processes:-

- a) Osmosis
- b) Diffuse
- c) Active
- d) All of above

6-A client has Gastro-esophageal Reflux Disease (GERD). The medical assistant should client that after every meal, the client should be:

- a. Rest in sitting position.
- b. Take a short walk.
- c. Drink plenty of water.
- d. Lie down at least 30 minutes.

7.The purposes of the physical examination are to:

- a-Gather baseline data.
- b. Confirm data obtained in the Water view. and heal history.
- c. a & b. .
- d. none of them.

قناة نماذج واختبارات @Medical02022

8- A person, who is unconscious, not breathing, has a weak pulse ،needs:

- a-CPR.
- b-Heimlich maneuver.
- c-Rescue breathing.
- d-Back blow and chest thrust.

9- A person had a burn in the chest , abdomen , genital area, and the left arm from the front and back. How big is the burn ?

- A_ 15%.
- B_ 28 %.
- C_36%.
- D_ 45%.

10- All following Cause of anemia pregnancy women EXCEPT ?

- A_ Deficiency of iron in diet.
- B_ Deficiency of folic acid.
- C_ Hemorrhage during menstrual.
- D_ Deficiency vitamin B12.

15- He following vaccine given in pregnant :

- a) tetanus
- b) rubies
- c) rubella
- D) Hepatitis B vaccine

16- When palpating the abdomen, begin by palpating:

- a. lightly.
- b. firmly.
- c. deeply.
- d. the most tender...

17- The health history is considered to be a part of the:

- a-Objective data.
- b-Subjective data.
- c-Signs data.
- d-physical data.

18. What would be the primary goal of therapy for a client with pulmonary en failure:

- a. Enhance comfort.
- b. Increase cardiac output.
- c. Improve respiratory status.
- d. Peripheral edema decreased.

19-A client with chronic pulmonary disease has a bluish tinge around the lips, which term to most accurately describe the client condition :

- a. Hypoxia.
- b. Hypoxemia. .
- c. Dyspnea.
- d. Cyan.

قناة نماذج واختبارات @Medical02022

20. The causes of anemia during pregnancy include the following except one:

- a. Inadequate amount of vitamin B6 in the diet.
- b. Inadequate amount of iron i d.
- c. Inadequate amount of folic acid in the diet.
- d. Iron deficiency that lost.

21- A client received deep partial-thickness burns to the chest, abdomen, hand anterior and posterior. Using the rule of what is the percent (TBSA) that was burned:

- a. 18%.
- b. 28%.
- c. 36%.
- d. 40%.

22-The morning vital signs of 38-year-old patients are auxiliary temperature 88, and the respiratory rate 30. Which findings should be reported:

- a-Respiratory rate only.
- b-Temperature only.
- c-Pulse rate and temperature.
- d-Temperature and respiratory rate.

23-A client is scheduled for a colonoscopy. The nurse will provide information to the client about which type of enema :

- a. Oil retention
- b. Return now
- c. High, large volume
- d. Low, small volume

24. The risks factors associated with gestational diabetes mellitus include the :

- a. Overweight.
- b. Underweight. .
- c. Family history of diabetes.
- D. all above

قناة نماذج واختبارات @Medical02022

25. After routine patient contact, hand washing should last at least:

- a-30 seconds.
- b- 1 minute.
- 6-2-minute.
- d-3 minutes.

26. When obtaining a health history from a patient, ask first about:

- a. biographic data
- b. his chief complaint,
- c. health insurance coverage.
- d. family history.

27- How should you open the airway of an unconscious casualty :

- a- Head tilt and chin lift.
- b- Jaw thrust.
- c- Head tilt and jaw thrust.
- d- Lift the chin.

28- The medical assistant obtained a client's pulse and found the rate to be above normal, the nurse documents these findings as:

- a-Tachypnea.
- b- Hyper pyrexia.
- c- Arrhythmia.
- d-Tachycardia.

29. Which of the following should the medical assistant teach digoxin of toxicity:

- A. Increased appetite.
- B. Skin rash over the chest and back.
- C. Elevated blood pressure.
- D. Visual disturbance.

20- The management of the hypovolemic shock include:

- a-The timely administration of IV fluids.
- b-Blood, and Blood products.
- c-Medications that elevate blood pressure.
- d-All of the above.

29-Position of immobilization in fracture both bones of forearm in an adult male will be:

- a. Prone. .
- b. Mid prone.
- c. Supine.
- d. Lateral.

قناة نماذج واختبارات @Medical02022

30-A disease that always involves damage to the auricular Cartilages is known as:

- a. Luxation .
- b. Sciatica.
- c. Ankyloses .
- d. Arthritis.

33- Which statement about diabetes mellitus is false :

- a. Type 2 diabetes commonly occurs in adults after age 40.
- b. Type 1 diabetes usually occurs before age 30.
- c. Type I diabetes is treated primarily with exercise and meal planning.
- d. An increasing number of adolescents are being diagnosed with type 2 diabetes.

34- The common type of anemia during pregnancy includes the following:

- a. Iron deficiency.
- b. B12 deficiency.
- c. Vitamin C deficiency.
- d. None.

35. The first technique in your physical assessment sequence is:

- a. palpation.
- b. auscultation.
- c. inspection.
- d. percussion.

حقوق الطبع محفوظة لدى:



لا تنسونا من خالص الدعاء

لتحميل أي نماذج لكافة التخصصات

[@medicaL02022](https://t.me/medicaL02022)

للمشاركة في أي تعديل او كتابة وحل النماذج ٧٣٣٤٤٣٨٤٦ +٩٦٧

